





DISCOS PARA CADENAS "ASA" - DIN 8188 - ISO 606 - ANSI B 29.1

PLATE WHEELS FOR ROLLER CHAINS - DIN 8188 - ISO 606 - ANSI B 29.1

ASA 40

12,7 x 7,95 mm
Rodillo 7,95 mm
08A - 1



B1	B2	B3	b1	C	r3
7,2				1,6	13,5

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.	Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
8	39,3	33,18							51	212,9	206,30						
9	43,2	37,13							52	217,0	210,34						
10	47,2	41,10	8	0,06					53	221,0	214,37						
11	51,2	45,07							54	225,0	218,43						
12	55,2	49,07							55	229,1	222,46						
13	59,2	53,06	10	0,10					56	233,1	226,50						
14	63,2	57,07							57	237,2	230,54	20	2,25				
15	67,2	61,09							58	241,2	234,62						
16	71,2	65,10							59	245,2	238,62						
17	75,2	69,11	10	0,18					60	249,3	242,66						
18	79,2	73,14							62	257,4	250,74						
19	83,3	77,16	10	0,23					64	265,4	258,82						
20	87,3	81,19	10	0,27					65	269,5	262,86						
21	91,3	85,22	12	0,28					66	273,5	266,90						
22	95,4	89,24							68	281,6	274,99						
23	99,4	93,27							70	289,7	283,07						
24	103,4	97,29	12	0,38					72	297,8	291,16						
25	107,4	101,33							75	309,9	303,27						
26	111,5	105,36							76	313,9	307,33						
27	115,5	109,40							78	322,0	315,40						
28	119,5	113,42							80	330,1	323,48						
29	123,6	117,46							85	350,3	343,69						
30	127,6	121,50	16	0,58					90	370,5	363,90						
31	131,6	125,54							95	390,7	384,11						
32	135,7	129,56	16	0,68					100	410,9	404,31						
33	139,7	133,60							110	451,4	444,74						
34	143,8	137,64	16	0,78					114	467,5	460,90						
35	147,8	141,68	16	0,83					120	491,8	485,16						
36	151,8	145,72							125	512,0	505,37						
37	155,9	149,76															
38	159,9	153,80	16	0,98													
39	163,9	157,83															
40	168,0	161,87															
41	172,5	165,91															
42	176,6	169,95															
43	180,6	173,99															
44	184,6	178,03	20	1,32													
45	188,7	182,07															
46	192,7	186,10															
47	196,8	190,14															
48	200,8	194,18	20	1,58													
49	204,8	198,22															
50	208,9	202,26	20	1,73													





DISCOS PARA CADENAS "ASA" - DIN 8188 - ISO 606 - ANSI B 29.1

PLATE WHEELS FOR ROLLER CHAINS - DIN 8188 - ISO 606 - ANSI B 29.1

ASA 50

15,875 x 9,53 mm
Rodillo 10,16 mm
10A - 1



B1	B2	B3	b1	C	r3
8,7				2	17

Z	de	dp	simple D1 Kg.	doble D2 Kg.	triple D3 Kg.	Z	de	dp	simple D1 Kg.	doble D2 Kg.	triple D3 Kg.
8	48,4	41,48	10	0,06		51	266,3	257,87	20	3,56	
9	53,3	46,42	10	0,09		52	271,3	262,92	20	3,70	
10	58,3	51,37	10	0,11		53	276,4	267,97	20	3,85	
11	63,2	56,34	10	0,14		54	281,4	273,03	20	4,00	
12	68,2	61,34	10	0,17		55	286,5	278,08	20	4,15	
13	73,2	66,32	10	0,20		56	291,5	283,13	25	4,30	
14	78,2	71,34	12	0,23		57	296,6	288,18	25	4,46	
15	83,2	76,36	12	0,27		58	301,6	293,23	25	4,62	
16	88,3	81,37	12	0,31		59	306,7	298,27			
17	93,3	86,39	12	0,36		60	311,7	303,32	25	4,95	
18	98,3	91,42	12	0,41		62	321,8	313,43	25	5,30	
19	103,3	96,45	12	0,46		64	331,9	323,53	25	5,65	
20	108,4	101,49	12	0,51		65	337,0	328,58	25	5,83	
21	113,4	106,52	12	0,57		68	352,1	343,74	25	6,40	
22	118,4	111,55	12	0,62		70	362,2	353,84	25	6,79	
23	123,5	116,58	12	0,68		72	372,3	363,95	25	7,19	
24	128,5	121,62	12	0,75		75	387,5	379,09	25	7,81	
25	133,6	126,66	12	0,82		76	392,5	384,16	25	8,02	
26	138,6	131,70	16	0,88		78	402,6	394,25	25	8,46	
27	143,6	136,75	16	0,95		80	412,7	404,35	25	8,91	
28	148,7	141,78	16	1,03		85	438,0	429,62	30	10,06	
29	153,7	146,83	16	1,11		90	463,3	454,88	30	11,30	
30	158,8	151,87	16	1,19		95	488,5	480,14	30	12,61	
31	163,8	156,92	16	1,28		100	513,8	505,40	30	13,99	
32	168,9	161,95	16	1,36		110	564,3	555,92	30	16,97	
33	173,9	167,00	16	1,45		114	584,5	576,13	30	19,98	
34	178,9	172,05	16	1,55		120	614,8	606,44	30	22,17	
35	184,0	177,10	16	1,64		125	640,1	631,71	30	24,08	
36	189,0	182,15	20	1,73							
37	194,1	187,20	20	1,83							
38	199,1	192,24	20	1,94							
39	204,2	197,29	20	2,05							
40	209,2	202,34	20	2,16							
41	215,8	207,39	20	2,28							
42	220,8	212,44	20	2,39							
43	225,9	217,49	20	2,50							
44	230,9	222,53	20	2,63							
45	236,0	227,58	20	2,75							
46	241,0	232,63	20	2,88							
47	246,1	237,68	20	3,00							
48	251,1	242,73	20	3,14							
49	256,2	247,78	20	3,28							
50	261,2	252,82	20	3,42							





DISCOS PARA CADENAS "ASA" - DIN 8188 - ISO 606 - ANSI B 29.1

PLATE WHEELS FOR ROLLER CHAINS - DIN 8188 - ISO 606 - ANSI B 29.1

ASA 60

19,05 x 12,7 mm
Rodillo 11,91 mm
12A - 1



B1	B2	B3	b1	C	r3
11,6				2,4	20

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.	Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
8	58,1	49,78							51	319,7	309,45						
9	64,0	55,70							52	325,8	315,50						
10	70,0	61,64							53	331,8	321,56						
11	76,0	67,61							54	337,9	327,64						
12	81,9	73,60							55	343,9	333,70						
13	87,9	79,59	14	0,35					56	350,0	339,75						
14	94,0	85,61	14	0,41					57	356,1	345,81						
15	100,0	91,63	14	0,48					58	362,1	351,87						
16	106,0	97,65	14	0,55					59	368,2	357,93						
17	112,0	103,67	14	0,63					60	374,2	363,99						
18	118,0	109,71	14	0,71					62	386,4	376,12						
19	124,1	115,75							64	398,5	388,24						
20	130,1	121,78	14	0,92					65	404,5	394,29						
21	136,2	127,82	16	0,99					66	410,6	400,35						
22	142,2	133,86	16	1,09					68	422,7	412,49						
23	148,2	139,90	16	1,20					70	434,9	424,60						
24	154,3	145,94							72	447,0	436,74						
25	160,3	152,00	16	1,43					75	465,2	454,91						
26	166,4	158,04	16	1,56					76	471,2	460,99						
27	172,4	164,09	16	1,68					78	483,3	473,10						
28	178,5	170,13	16	1,82					80	495,5	485,22						
29	184,5	176,19	16	1,96					85	525,8	515,55						
30	190,6	182,25	16	2,10					90	556,1	545,86						
31	196,6	188,31	20	2,24					95	586,4	576,17						
32	202,7	194,35	20	2,39					100	616,7	606,47						
33	208,8	200,40							110	677,4	667,11						
34	214,8	206,46	20	2,71					114	701,6	691,36						
35	220,9	212,52	20	2,88					120	738,0	727,74						
36	226,9	218,58	20	3,06					125	768,3	758,05						
37	233,0	224,64															
38	239,0	230,69	20	3,42													
39	245,1	236,75															
40	251,1	242,81	20	3,85													
41	259,1	248,87															
42	265,2	254,93	25	4,19													
43	271,2	260,98															
44	277,3	267,03															
45	283,3	273,10															
46	289,4	279,16															
47	295,5	285,21															
48	301,5	291,27															
49	307,6	297,33															
50	313,6	303,39															





DISCOS PARA CADENAS "ASA" - DIN 8188 - ISO 606 - ANSI B 29.1

PLATE WHEELS FOR ROLLER CHAINS - DIN 8188 - ISO 606 - ANSI B 29.1

ASA 80

25,4 x 15,88 mm
Rodillo 15,88 mm
16A - 1



B1	B2	B3	b1	C	r3
14,6				3,2	27

Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.	Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
8	77,9	66,37							51	426,5	412,60						
9	85,8	74,27							52	434,5	420,67						
10	93,8	82,19							53	442,5	428,75						
11	101,7	90,14							54	450,6	436,85						
12	109,7	98,14	16	0,77					55	458,7	444,93						
13	117,7	106,12							56	466,8	453,01						
14	125,7	114,15	16	1,01					57	474,9	461,07						
15	133,7	122,17							58	482,9	469,16						
16	141,8	130,20	20	1,43					59	491,0	477,24						
17	149,8	138,22	20	1,64					60	499,1	485,32						
18	157,8	146,28	20	1,85					62	515,3	501,50						
19	165,9	154,33	20	2,08					64	531,4	517,65						
20	173,9	162,38	20	2,12					65	539,5	525,73						
21	182,0	170,43	20	2,45					66	547,6	533,80						
22	190,1	178,48	20	2,84					68	563,8	549,98						
23	198,1	186,53	20	3,13					70	579,9	566,14						
24	206,2	194,59	20	3,42					72	596,1	582,32						
25	214,2	202,66							75	620,3	606,35						
26	222,3	210,72	20	4,05					76	628,4	614,65						
27	230,4	218,79							78	644,6	630,80						
28	238,4	226,85	20	4,73					80	660,7	646,96						
29	246,5	234,92	20	5,09					85	701,2	687,40						
30	254,6	243,00	20	5,46					90	741,6	727,81						
31	262,6	251,08							95	782,0	768,22						
32	270,7	259,13							100	822,4	808,63						
33	278,8	267,21	25	6,63					110	903,3	889,48						
34	286,9	275,28	25	7,06					114	935,6	921,81						
35	294,9	283,36	25	7,49					120	984,1	970,33						
36	303,0	291,44							125	1024,5	1010,73						
37	311,1	299,51															
38	319,2	307,59	25	8,88													
39	327,2	315,67															
40	335,3	323,73															
41	345,6	331,82															
42	353,7	339,90															
43	361,7	347,98															
44	369,8	356,06															
45	377,9	364,12															
46	386,0	372,21															
47	394,1	380,29															
48	402,1	388,36															
49	410,2	396,44															
50	418,3	404,52															





DISCOS PARA CADENAS "ASA" - DIN 8188 - ISO 606 - ANSI B 29.1

PLATE WHEELS FOR ROLLER CHAINS - DIN 8188 - ISO 606 - ANSI B 29.1

ASA 100

31,75 x 19,05 mm
Rodillo 19,05 mm
20A - 1



B1	B2	B3	b1	C	r3
17,6				4	33,5

Z	de	dp	simple D1 Kg.	doble D2 Kg.	triple D3 Kg.	Z	de	dp	simple D1 Kg.	doble D2 Kg.	triple D3 Kg.
8	96,0	82,96				51	531,7	515,75			
9	106,5	92,84				52	541,8	525,84			
10	117,0	102,74				53	551,9	535,94			
11	127,0	112,68				54	562,0	546,07			
12	137,0	122,68				55	572,1	556,16			
13	147,5	132,65				56	582,2	566,26			
14	157,6	142,68				57	592,3	576,36			
15	167,7	152,72				58	602,4	586,45			
16	177,7	162,75				59	612,5	596,55			
17	187,7	172,78	20	2,96		60	622,6	606,65			
18	197,8	182,85	20	3,28		62	642,8	626,87			
19	207,9	192,91				64	663,0	647,06			
20	217,9	202,98				65	673,1	657,16			
21	228,0	213,04	25	4,62		66	683,2	667,26			
22	238,1	223,11				68	703,4	687,48			
23	248,2	233,17				70	723,6	707,67			
24	258,3	243,23				72	743,8	727,90			
25	268,4	253,33				75	774,2	758,19			
26	278,4	263,40				76	784,3	768,32			
27	288,5	273,48				80	824,7	808,72			
28	298,5	283,56				85	875,2	859,25			
29	308,6	293,65				90	925,7	909,76			
30	318,7	303,75				95	976,2	960,28			
31	328,8	313,85				100	1026,7	1010,79			
32	338,9	323,91				114	1168,2	1152,26			
33	349,0	334,01									
34	359,1	344,10									
35	369,2	354,20									
36	379,2	364,30									
37	389,3	374,39									
38	399,4	384,49									
39	409,5	394,59									
40	419,6	404,66									
41	430,7	414,78									
42	440,8	424,88									
43	450,9	434,97									
44	461,0	445,07									
45	471,1	455,17									
46	481,2	465,26									
47	491,3	475,36									
48	501,4	485,46									
49	511,5	495,55									
50	521,6	505,65									





DISCOS PARA CADENAS "ASA" - DIN 8188 - ISO 606 - ANSI B 29.1

PLATE WHEELS FOR ROLLER CHAINS - DIN 8188 - ISO 606 - ANSI B 29.1

ASA 120

38,1 x 25,4 mm
Rodillo 22,23 mm
24A - 1



B1	B2	B3	b1	C	r3
23,5				4,8	40,5



Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.	Z	de	dp	simple D1	Kg.	doble D2	Kg.	triple D3	Kg.
8	113,0	99,55							51	635,0	618,89						
9	125,0	111,40	20	1,47					52	647,0	631,01						
10	137,0	123,29	20	1,85					53	659,0	643,13						
11	149,0	135,21	25	2,24					54	671,0	655,25						
12	161,0	147,22							55	683,5	667,40						
13	173,0	159,18	25	3,22					56	695,5	679,50						
14	185,0	171,22	25	3,68					57	707,5	691,63						
15	197,0	183,26	25	4,34					58	719,5	703,74						
16	209,0	195,30	25	4,88					59	731,5	715,86						
17	221,0	207,34	25	5,69					60	745,0	727,97						
18	233,0	219,42	25	6,29					62	769,0	752,24						
19	245,5	231,49							64	793,5	776,48						
20	257,5	243,57	25	7,95					65	805,5	788,59						
21	270,5	255,65							66	817,5	800,71						
22	282,5	267,73							68	842,0	824,98						
23	294,5	279,80							70	866,0	849,21						
24	307,0	291,88							72	890,5	873,48						
25	319,0	304,00	30	12,25					75	926,5	909,83						
26	331,0	316,08							76	939,0	921,98						
27	343,0	328,19							80	987,5	970,44						
28	355,0	340,27							85	1048,0	1031,10						
29	367,5	352,38							90	1169,0	1152,33						
30	379,5	364,50															
31	391,5	376,62															
32	403,5	388,69															
33	415,5	400,81															
34	428,5	412,93															
35	440,0	425,04	30	24,65													
36	452,0	437,16															
37	464,0	449,27															
38	476,5	461,39															
39	488,5	473,50															
40	501,5	485,62															
41	513,5	497,74															
42	525,5	509,85															
43	538,0	521,97															
44	550,0	534,08															
45	562,0	546,20															
46	574,0	558,32															
47	586,5	570,43															
48	598,5	582,55															
49	610,5	594,66															
50	622,5	606,78															



DISCOS PARA CADENAS "ASA" - DIN 8188 - ISO 606 - ANSI B 29.1
PLATE WHEELS FOR ROLLER CHAINS - DIN 8188 - ISO 606 - ANSI B 29.1

ASA 140

44,45 x 25,4 mm
Rodillo 25,4 mm
28A - 1



B1	B2	B3	b1	C	r3
23,5				5,8	47,5

Z	de	dp	simple D1 Kg.	doble D2 Kg.	triple D3 Kg.	Z	de	dp	simple D1 Kg.	doble D2 Kg.	triple D3 Kg.
8	132,0	116,15									
9	146,0	129,96	20	2,07							
10	160,0	143,85	20	2,59							
11	174,0	157,77	25	3,04							
12	188,0	171,74	25	3,72							
13	204,0	185,75	25	4,37							
14	218,0	199,76	25	5,16							
15	232,0	213,79									
16	246,0	227,84	30	6,85							
17	260,0	241,90	30	7,68							
18	274,0	255,98									
19	289,0	270,06									
20	303,0	284,15									
21	317,0	298,24									
22	331,0	312,34									
23	345,0	326,44									
24	359,0	340,55									
25	373,0	354,66									
26	387,0	368,77									
27	401,0	382,88									
28	416,0	397,00									
29	430,0	411,12									
30	444,0	425,24									
31	458,0	439,37									
32	472,0	453,49									
33	486,0	467,62									
34	500,0	481,75									
35	514,0	495,88									
36	529,0	510,01									
37	543,0	524,13									
38	557,0	538,27									
39	571,0	552,40									
40	585,0	566,54									
45	656,0	637,22									
50	726,0	707,91									
57	825,0	806,90									
60	869,0	849,32									
76	1095,0	1075,62									